


Accessories


HL-3-001



Capacity	Part number
50kg,100kg	HL-3-001-25/50kg
250kg	HL-3-001-200/300kg
500kg	HL-3-001-500/750kg
1.0t	HL-3-001-1/1.5t
2.5t	HL-3-001-2/3t
5.0t	HL-3-001-5t

Capacity	a1	a2	H	M × P × L	Lifting Weight
50kg,100kg	25	20	97.5	M8 × 1.25 × 24	0.25t
250kg	28	22	106	M12 × 1.75 × 28	0.4t
500kg	34	27	135.5	M12 × 1.75 × 28	0.8t
1.0t	40	32	152.5	M12 × 1.75 × 28	1.6t
2.5t	48	38	183	M20 × 1.5 × 35	3.2t
5.0t	56	45	221	M20 × 1.5 × 35	6.3t


HL-3-002



Capacity	Part number
25kg-100kg	HL-3-002-25/50kg
150kg-250kg	HL-3-002-200/300kg
500kg	HL-3-002-500/750kg
1t	HL-3-002-1/1.5t
2.5t	HL-3-002-2/3t
5t	HL-3-002-5t

Capacity	H	D	d	M × P × L	Lifting Weight
25kg-100kg	18 (0.71)	36 (1.42)	9.1 (0.36)	M8 × 1.25 × 16	0.16t
150kg-250kg	26 (1.02)	52 (2.05)	13.1 (0.52)	M12 × 1.75 × 22	0.4t
500kg	31 (1.22)	62 (2.44)	15.2 (0.60)	M12 × 1.75 × 22	1.0t
1t	36 (1.42)	72 (2.83)	17.4 (0.69)	M12 × 1.75 × 22	1.6t
2.5t	53 (2.09)	104 (4.09)	25.7 (1.01)	M20 × 1.5 × 35	4.0t
5t	63 (2.48)	123 (4.84)	30 (1.18)	M20 × 1.5 × 35	6.3t


HL-3-003



Capacity	Part number
25kg-100kg	HL-3-003-25/50kg
150kg-1.0t	HL-3-003-200kg/1.0t
2.5t	HL-3-003-2/3t
5t	HL-3-003-5t

Capacity	H	A	B	C	D	H1	M × L	Lifting weight
25kg-100kg	42 (1.65)	8 (0.31)	6.5 (0.26)	8 (0.31)	25 (0.98)	56 (2.20)	M8 × 1.25 × 21	0.55t
150kg-1.0t	54 (2.13)	10 (0.39)	8.5 (0.33)	12 (0.47)	35 (1.38)	73 (2.87)	M12 × 1.75 × 28	1.08t
2.5t	78 (3.07)	16 (0.63)	13.5 (0.53)	20 (0.79)	54 (2.13)	107 (4.21)	M20 × 1.5 × 43	3.0t
5t	89 (3.5)	22 (0.87)	20 (0.79)	30 (1.18)	75 (2.95)	128 (5.04)	M20 × 1.5 × 43	6.0t

HL-3-004




Capacity	Part number
25kg-100kg	HL-3-004-25/50kg
150kg-250kg	HL-3-004-200/300kg
500kg	HL-3-004-500/750kg
1t	HL-3-004-1t
2.5t	HL-3-004-2/3t
5t	HL-3-004-5t

Capacity	a1	a2	L	L1	L2	M × P	Lifting weight
25kg-100kg	25 (0.98)	20 (0.79)	77 (3.03)	21 (0.83)	65 (2.56)	M8 × 1.25	0.25t
150kg-250kg	28 (1.10)	22 (0.87)	89 (3.50)	28 (1.10)	77 (3.03)	M12 × 1.75	0.4t
500kg	34 (1.34)	27 (1.06)	89 (3.50)	28 (1.10)	103.5 (4.07)	M12 × 1.75	0.8t
1t	40 (1.57)	32 (1.26)	89 (3.50)	28 (1.10)	117.5 (4.63)	M12 × 1.75	1.08t
2.5t	48 (1.89)	38 (1.5)	133 (5.24)	43 (1.69)	134 (5.28)	M20 × 1.5	3.0t
5t	56 (2.20)	45 (1.77)	149 (5.87)	43 (1.69)	173 (6.81)	M20 × 1.5	6.0t

HL-3-005



Capacity	Part number
25kg-100kg	HL-3-005-25/50kg
150kg-250kg	HL-3-005-200/300kg
500kg	HL-3-005-500/750kg
1t	HL-3-005-1t
2.5t	HL-3-005-2/3t
5t	HL-3-005-5t



Capacity	L	L1	L2	M × P	Lifting weight
25kg-100kg	77 (3.03)	21 (0.83)	22 (0.87)	M8 × 1.25	0.16t
150kg-250kg	89 (3.50)	28 (1.10)	33 (1.3)	M12 × 1.75	0.4t
500kg	89 (3.50)	28 (1.10)	38 (1.5)	M12 × 1.75	1.0t
1t	89 (3.50)	28 (1.10)	43 (1.7)	M12 × 1.75	1.08t
2.5t	133 (5.24)	43 (1.69)	63 (2.48)	M20 × 1.5	3.0t
5t	149 (5.87)	43 (1.69)	78 (3.07)	M20 × 1.5	6.0t


Features : Matched with S type load cells,suitable for hybrid scales, crane scales, packaging scales, hopper scales, and other electronic weighing devices.

Accessories

HL-3-001




Capacity	Part number
25kg-50kg	HL-3-001-25/50kg
100kg-150kg	HL-3-001-100/150kg
200kg-300kg	HL-3-001-200/300kg
500kg-750kg	HL-3-001-500/750kg
1t-1.5t	HL-3-001-1/1.5t
2t-3t	HL-3-001-2/3t
5t	HL-3-001-5t



Capacity	a1	a2	H	M × P × L	Lifting weight
25kg-50kg	25 (0.98)	20 (0.79)	97.5 (3.84)	M8 × 1.25 × 24	0.25t
100kg-150kg	25 (0.98)	20 (0.79)	97.5 (3.84)	M10 × 1.5 × 26	0.25t
200kg-300kg	28 (0.98)	22 (0.87)	106 (4.17)	M12 × 1.75 × 28	0.4t
500kg-750kg	34 (1.34)	27 (1.06)	135.5 (5.33)	M12 × 1.75 × 28	0.8t
1t-1.5t	40 (1.57)	32 (1.26)	152.5 (6.0)	M12 × 1.75 × 28	1.6t
2t-3t	48 (1.89)	38 (1.5)	183 (7.2)	M20 × 1.5 × 35	3.2t
5t	56 (2.2)	45 (1.77)	221 (8.7)	M20 × 1.5 × 35	6.3t


HL-3-002



Capacity	Part number
25kg-50kg	HL-3-002-25/50kg
100kg-150kg	HL-3-002-100/150kg
200kg-300kg	HL-3-002-200/300kg
500kg-750kg	HL-3-002-500/750kg
1t-1.5t	HL-3-002-1/1.5t
2t-3t	HL-3-002-2/3t
5t	HL-3-002-5t

Capacity	H	D	d	M × P × L	Lifting weight
25kg-50kg	18 (0.71)	36 (1.42)	9.1 (0.36)	M8 × 1.25 × 16	0.16t
100kg-150kg	22 (0.87)	44 (1.73)	11.1 (0.44)	M10 × 1.5 × 20	0.25t
200kg-300kg	26 (1.02)	52 (2.05)	13.1 (0.52)	M12 × 1.75 × 22	0.4t
500kg-750kg	31 (1.22)	62 (2.44)	15.2 (0.60)	M12 × 1.75 × 22	1.0t
1t-1.5t	36 (1.42)	72 (2.83)	17.4 (0.69)	M12 × 1.75 × 22	1.6t
2t-3t	53 (2.09)	104 (4.09)	25.7 (1.01)	M20 × 1.5 × 35	4.0t
5t	63 (2.48)	123 (4.84)	30 (1.18)	M20 × 1.5 × 35	6.3t


HL-3-003



Capacity	Part number
25kg-50kg	HL-3-003-25/50kg
100kg-150kg	HL-3-003-100/150kg
200kg-1.0t	HL-3-003-200kg/1.0t
1.5t	HL-3-003-1.5t
2t-3t	HL-3-003-2/3t
5t	HL-3-003-5t

Capacity	H	A	B	C	D	H1	M × P × L	Lifting weight
25kg-50kg	42 (1.65)	8 (0.31)	6.5 (0.26)	8 (0.31)	25 (0.98)	56 (2.20)	M8 × 1.25 × 21	0.55t
100kg-150kg	48 (1.89)	9 (0.35)	7.5 (0.30)	10 (0.39)	30 (1.18)	65 (2.56)	M10 × 1.5 × 26	0.81t
200kg-1.0t	54 (2.13)	10 (0.39)	8.5 (0.33)	12 (0.47)	35 (1.38)	73 (2.87)	M12 × 1.75 × 28	1.08t
1.5t	63 (2.48)	16 (0.63)	13.5 (0.53)	20 (0.79)	54 (2.13)	92 (3.62)	M12 × 1.75 × 28	3.0t
2t-3t	78 (3.07)	16 (0.63)	13.5 (0.53)	20 (0.79)	54 (2.13)	107 (4.21)	M20 × 1.5 × 43	3.0t
5t	89 (3.5)	22 (0.87)	20 (0.79)	30 (1.18)	75 (2.95)	128 (5.04)	M20 × 1.5 × 43	6.0t

HL-3-004




Capacity	Part number
25kg-50kg	HL-3-004-25/50kg
100kg-150kg	HL-3-004-100/150kg
200kg-300kg	HL-3-004-200/300kg
500kg-750kg	HL-3-004-500/750kg
1t	HL-3-004-1t
1.5t	HL-3-004-1.5t
2t-3t	HL-3-004-2/3t
5t	HL-3-004-5t

Capacity	a1	a2	L	L1	L2	M × P	Lifting weight
25kg-50kg	25 (0.98)	20 (0.79)	77 (3.03)	21 (0.83)	65 (2.56)	M8 × 1.25	0.25t
100kg-150kg	25 (0.98)	20 (0.79)	83 (3.27)	26 (1.02)	64 (2.52)	M10 × 1.5	0.25t
200kg-300kg	28 (1.10)	22 (0.87)	89 (3.50)	28 (1.10)	77 (3.03)	M12 × 1.75	0.4t
500kg-750kg	34 (1.34)	27 (1.06)	89 (3.50)	28 (1.10)	103.5 (4.07)	M12 × 1.75	0.8t
1t	40 (1.57)	32 (1.26)	89 (3.50)	28 (1.10)	117.5 (4.63)	M12 × 1.75	1.08t
1.5t	40 (1.57)	32 (1.26)	118 (4.65)	28 (1.10)	110.5 (4.35)	M12 × 1.75	1.6t
2t-3t	48 (1.89)	38 (1.5)	133 (5.24)	43 (1.69)	134 (5.28)	M20 × 1.5	3.0t
5t	56 (2.20)	45 (1.77)	149 (5.87)	43 (1.69)	173 (6.81)	M20 × 1.5	6.0t

HL-3-005



Capacity	Part number
25kg-50kg	HL-3-005-25/50kg
100kg-150kg	HL-3-005-100/150kg
200kg-300kg	HL-3-005-200/300kg
500kg-750kg	HL-3-005-500/750kg
1t	HL-3-005-1t
1.5t	HL-3-005-1.5t
2t-3t	HL-3-005-2/3t
5t	HL-3-005-5t



Capacity	L	L1	L2	M × P	Lifting weight
25kg-50kg	77 (3.03)	21 (0.83)	22 (0.87)	M8 × 1.25	0.16t
100kg-150kg	83 (3.27)	26 (1.02)	27 (1.06)	M10 × 1.5	0.25t
200kg-300kg	89 (3.50)	28 (1.10)	33 (1.3)	M12 × 1.75	0.4t
500kg-750kg	89 (3.50)	28 (1.10)	38 (1.5)	M12 × 1.75	1.0t
1t	89 (3.50)	28 (1.10)	43 (1.7)	M12 × 1.75	1.08t
1.5t	118 (4.65)	28 (1.10)	42 (1.65)	M12 × 1.75	1.6t
2t-3t	133 (5.24)	43 (1.69)	63 (2.48)	M20 × 1.5	3.0t
5t	149 (5.87)	43 (1.69)	78 (3.07)	M20 × 1.5	6.0t


Features : Matched with S type load cells, suitable for hybrid scales, crane scales, packaging scales, hopper scales, and other electronic weighing devices.

Accessories

HL-3-001



Capacity	Part number
50kg-100kg	HL-3-001-100/150kg
250kg	HL-3-001-200/300kg
500kg-750kg	HL-3-001-500/750kg
1t-1.5t	HL-3-001-1/1.5t




Capacity	a1	a2	H	M × P × L	Lifting weight
50kg-100kg	25 (0.98)	20 (0.79)	97.5 (3.84)	M10 × 1.5 × 26	0.25t
250kg	28 (0.98)	22 (0.87)	106 (4.17)	M12 × 1.75 × 28	0.4t
500kg-750kg	34 (1.34)	27 (1.06)	135.5 (5.33)	M12 × 1.75 × 28	0.8t
1t-1.5t	40 (1.57)	32 (1.26)	152.5 (6.0)	M12 × 1.75 × 28	1.6t

HL-3-002



Capacity	Part number
50kg-100kg	HL-3-002-100/150kg
250kg	HL-3-002-200/300kg
500kg-750kg	HL-3-002-500/750kg
1t-1.5t	HL-3-002-1/1.5t




Capacity	H	D	d	M × P × L	Lifting weight
50kg-100kg	22 (0.87)	44 (1.73)	11.1 (0.44)	M10 × 1.5 × 20	0.25t
250kg	26 (1.02)	52 (2.05)	13.1 (0.52)	M12 × 1.75 × 22	0.4t
500kg-750kg	31 (1.22)	62 (2.44)	15.2 (0.60)	M12 × 1.75 × 22	1.0t
1t-1.5t	36 (1.42)	72 (2.83)	17.4 (0.69)	M12 × 1.75 × 22	1.6t

HL-3-003



Capacity	Part number
50kg-100kg	HL-3-003-100/150kg
250kg-1.0t	HL-3-003-200kg/1.0t
1.5t	HL-3-003-1.5t




Capacity	H	A	B	C	D	H1	M × P × L	Lifting weight
50kg-100kg	48 (1.89)	9 (0.35)	7.5 (0.30)	10 (0.39)	30 (1.18)	65 (2.56)	M10 × 1.5 × 26	0.81t
250kg-1.0t	54 (2.13)	10 (0.39)	8.5 (0.33)	12 (0.47)	35 (1.38)	73 (2.87)	M12 × 1.75 × 28	1.08t
1.5t	63 (2.48)	16 (0.63)	13.5 (0.53)	20 (0.79)	54 (2.13)	92 (3.62)	M12 × 1.75 × 28	3.0t

HL-3-004



Capacity	Part number
50kg-100kg	HL-3-004-100/150kg
250kg	HL-3-004-200/300kg
500kg-750kg	HL-3-004-500/750kg
1t	HL-3-004-1t
1.5t	HL-3-004-1.5t




Capacity	a1	a2	L	L1	L2	M × P	Lifting weight
50kg-100kg	25 (0.98)	20 (0.79)	83 (3.27)	26 (1.02)	64 (2.52)	M10 × 1.5	0.25t
250kg	28 (1.10)	22 (0.87)	89 (3.50)	28 (1.10)	77 (3.03)	M12 × 1.75	0.4t
500kg-750kg	34 (1.34)	27 (1.06)	89 (3.50)	28 (1.10)	103.5 (4.07)	M12 × 1.75	0.8t
1t	40 (1.57)	32 (1.26)	89 (3.50)	28 (1.10)	117.5 (4.63)	M12 × 1.75	1.08t
1.5t	40 (1.57)	32 (1.26)	118 (4.65)	28 (1.10)	110.5 (4.35)	M12 × 1.75	1.6t

HL-3-005



Capacity	Part number
50kg-100kg	HL-3-005-100/150kg
250kg	HL-3-005-200/300kg
500kg-750kg	HL-3-005-500/750kg
1t	HL-3-005-1t
1.5t	HL-3-005-1.5t



Capacity	L	L1	L2	M × P	Lifting weight
50kg-100kg	83 (3.27)	26 (1.02)	27 (1.06)	M10 × 1.5	0.25t
250kg	89 (3.50)	28 (1.10)	33 (1.3)	M12 × 1.75	0.4t
500kg-750kg	89 (3.50)	28 (1.10)	38 (1.5)	M12 × 1.75	1.0t
1t	89 (3.50)	28 (1.10)	43 (1.7)	M12 × 1.75	1.08t
1.5t	118 (4.65)	28 (1.10)	42 (1.65)	M12 × 1.75	1.6t


Features : Matched with S type load cells,suitable for hybrid scales, crane scales, packaging scales, hopper scales, and other electronic weighing devices.

Accessories

HL-3-001



Capacity	Part number
50kg-100kg	HL-3-001-25/50kg
200kg-300kg	HL-3-001-200/300kg
500kg	HL-3-001-500/750kg
1t	HL-3-001-1/1.5t
2.5t	HL-3-001-2/3t
5t	HL-3-001-5t




Capacity	a1	a2	H	M × P × L	Lifting weight
50kg-100kg	25 (0.98)	20 (0.79)	97.5 (3.84)	M8 × 1.25 × 24	0.25t
200kg-300kg	28 (0.98)	22 (0.87)	106 (4.17)	M12 × 1.75 × 28	0.4t
500kg	34 (1.34)	27 (1.06)	135.5 (5.33)	M12 × 1.75 × 28	0.8t
1t	40 (1.57)	32 (1.26)	152.5 (6.0)	M12 × 1.75 × 28	1.6t
2.5t	48 (1.89)	38 (1.5)	183 (7.2)	M20 × 1.5 × 35	3.2t
5t	56 (2.2)	45 (1.77)	221 (8.7)	M20 × 1.5 × 35	6.3t

HL-3-002



Capacity	Part number
50kg-100kg	HL-3-002-25/50kg
200kg-300kg	HL-3-002-200/300kg
500kg	HL-3-002-500/750kg
1t	HL-3-002-1/1.5t
2.5t	HL-3-002-2/3t
5t	HL-3-002-5t




Capacity	H	D	d	M × P × L	Lifting weight
50kg-100kg	18 (0.71)	36 (1.42)	9.1 (0.36)	M8 × 1.25 × 16	0.16t
200kg-300kg	26 (1.02)	52 (2.05)	13.1 (0.52)	M12 × 1.75 × 22	0.4t
500kg	31 (1.22)	62 (2.44)	15.2 (0.60)	M12 × 1.75 × 22	1.0t
1t	36 (1.42)	72 (2.83)	17.4 (0.69)	M12 × 1.75 × 22	1.6t
2.5t	53 (2.09)	104 (4.09)	25.7 (1.01)	M20 × 1.5 × 35	4.0t
5t	63 (2.48)	123 (4.84)	30 (1.18)	M20 × 1.5 × 35	6.3t

HL-3-003



Capacity	Part number
50kg-100kg	HL-3-003-25/50kg
200kg-1.0t	HL-3-003-200kg/1.0t
2.5t	HL-3-003-2/3t
5t	HL-3-003-5t




Capacity	H	A	B	C	D	H1	M × P × L	Lifting weight
50kg-100kg	42 (1.65)	8 (0.31)	6.5 (0.26)	8 (0.31)	25 (0.98)	56 (2.20)	M8 × 1.25 × 21	0.55t
200kg-1.0t	54 (2.13)	10 (0.39)	8.5 (0.33)	12 (0.47)	35 (1.38)	73 (2.87)	M12 × 1.75 × 28	1.08t
2.5t	78 (3.07)	16 (0.63)	13.5 (0.53)	20 (0.79)	54 (2.13)	107 (4.21)	M20 × 1.5 × 43	3.0t
5t	89 (3.5)	22 (0.87)	20 (0.79)	30 (1.18)	75 (2.95)	128 (5.04)	M20 × 1.5 × 43	6.0t

HL-3-004



Capacity	Part number
50kg-100kg	HL-3-004-25/50kg
200kg-300kg	HL-3-004-200/300kg
500kg	HL-3-004-500kg
1t	HL-3-004-1t
2.5t	HL-3-004-2/3t
5t	HL-3-004-5t




Capacity	a1	a2	L	L1	L2	M × P	Lifting weight
50kg-100kg	25 (0.98)	20 (0.79)	77 (3.03)	21 (0.83)	65 (2.56)	M8 × 1.25	0.25t
200kg-300kg	28 (1.10)	22 (0.87)	89 (3.50)	28 (1.10)	77 (3.03)	M12 × 1.75	0.4t
500kg	34 (1.34)	27 (1.06)	89 (3.50)	28 (1.10)	103.5 (4.07)	M12 × 1.75	0.8t
1t	40 (1.57)	32 (1.26)	89 (3.50)	28 (1.10)	117.5 (4.63)	M12 × 1.75	1.08t
2.5t	48 (1.89)	38 (1.5)	133 (5.24)	43 (1.69)	134 (5.28)	M20 × 1.5	3.0t
5t	56 (2.20)	45 (1.77)	149 (5.87)	43 (1.69)	173 (6.81)	M20 × 1.5	6.0t

HL-3-005



Capacity	Part number
50kg-100kg	HL-3-005-25/50kg
200kg-300kg	HL-3-005-200/300kg
500kg	HL-3-005-500/750kg
1t	HL-3-005-1t
2.5t	HL-3-005-2/3t
5t	HL-3-005-5t



Capacity	L	L1	L2	M × P	Lifting weight
50kg-100kg	77 (3.03)	21 (0.83)	22 (0.87)	M8 × 1.25	0.16t
200kg-300kg	89 (3.50)	28 (1.10)	33 (1.3)	M12 × 1.75	0.4t
500kg	89 (3.50)	28 (1.10)	38 (1.5)	M12 × 1.75	1.0t
1t	89 (3.50)	28 (1.10)	43 (1.7)	M12 × 1.75	1.08t
2.5t	133 (5.24)	43 (1.69)	63 (2.48)	M20 × 1.5	3.0t
5t	149 (5.87)	43 (1.69)	78 (3.07)	M20 × 1.5	6.0t

Features : Matched with S type load cells, suitable for hybrid scales, crane scales, packaging scales, hopper scales, and other electronic weighing devices.